

User Guide to `lunix`, Comprehensive Unix API Module for Lua

William Ahern

June 23, 2022

Contents

Contents		i
1 About		1
2 Dependencies		2
2.1 Operating Systems	2	2
2.2 Libraries	2	2
2.2.1 Lua 5.1, 5.2, 5.3	2	2
2.3 GNU Make	2	2
3 Installation		3
3.1 Building	3	3
3.1.1 Targets	3	3
3.2 Installing	3	3
3.2.1 Targets	4	4
4 Usage		5
4.1 Modules	5	5
4.1.1 <code>unix</code>	5	5
<code>environ[]</code>	5	
<code>accept</code>	5	
<code>access</code>	5	
<code>alarm</code>	5	
<code>arc4random</code>	6	
<code>arc4random_buf</code>	6	
<code>arc4random_stir</code>	6	
<code>arc4random_uniform</code>	6	
<code>bind</code>	6	
<code>bitand</code>	6	
<code>bitor</code>	6	
<code>chdir</code>	6	
<code>chmod</code>	7	
<code>chown</code>	7	
<code>chroot</code>	7	
<code>clearerr</code>	7	
<code>clock_gettime</code>	7	7
<code>close</code>	7	7
<code>closedir</code>	7	7
<code>closelog</code>	7	7
<code>compl</code>	7	7
<code>connect</code>	7	7
<code>dup</code>	8	8
<code>dup2</code>	8	8
<code>dup3</code>	8	8
<code>execve</code>	8	8
<code>execl</code>	8	8
<code>execlp</code>	8	8
<code>execvp</code>	9	9
<code>_exit</code>	9	9
<code>exit</code>	9	9
<code>faccessat</code>	9	9

fchmod	9	getpwnam	15
fchown	9	getpwuid	16
fcntl	9	getrlimit	16
fdatasync	9	getrusage	16
fdopen	9	getsockname	16
fdopendir	9	gettimeofday	16
fdup	10	getuid	17
feof	10	grantpt	17
ferror	10	ioctl	17
fgetc	10	isatty	17
fileno	10	issetugid	17
flockfile	10	kill	17
fnmatch	10	LOG_MASK	17
fstat	10	LOG_UPTO	17
fstatat	10	lchown	17
fsync	10	link	17
ftrylockfile	10	listen	17
funlockfile	11	lockf	18
fopen	11	lseek	18
fopenat	11	lstat	18
fpathconf	11	mkdir	18
fpipe	11	mkdirat	18
fork	11	mkfifo	18
gai_strerror	11	mkfifoat	18
getaddrinfo	11	mkpath	18
getc	12	open	19
getcwd	12	openat	19
getegid	12	opendir	19
getenv	13	openlog	19
geteuid	13	pathconf	19
getgid	13	pipe	20
getgrgid	13	poll	20
getgrnam	13	posix_fadvise	20
getgroups	14	posix_fallocate	20
gethostname	14	posix_openpt	20
getifaddrs	14	posix_fopenpt	20
getmode	15	pread	20
getnameinfo	15	ptsname	20
getopt	15	pwrite	21
getpeername	15	raise	21
getpgid	15	read	21
getpgrp	15	readdir	21
getpid	15	readlink	21
getppid	15	readlinkat	21
getprogname	15	realpath	22

recv	22	sigfillset	27
recvfrom	22	sigemptyset	27
recvfromto	22	sigaddset	27
regcomp	22	sigdelset	28
regerror	22	sigismember	28
regexexec	23	sigprocmask	28
regfree	23	sigtimedwait	28
rename	23	sigwait	29
renameat	23	sleep	29
rewinddir	23	socket	29
rmdir	23	socketpair	29
S_ISBLK	24	stat	29
S_ISCHR	24	strerror	30
S_ISDIR	24	strsignal	30
S_ISFIFO	24	symlink	30
S_ISREG	24	symlinkat	30
S_ISLNK	24	sysconf	30
S_ISSOCK	24	syslog	30
send	24	tcgetpgrp	31
sendto	25	tcgetsid	31
sendtofrom	25	tcsetpgrp	31
setegid	25	timegm	31
seteuid	25	truncate	31
setenv	25	tzset	31
setgid	26	umask	31
setgroups	26	uname	31
setlocale	26	unlink	32
setlogmask	26	unlinkat	32
setpgid	26	unlockpt	32
setrlimit	26	unsetenv	32
setsid	26	wait	32
setsockopt	26	waitpid	32
setuid	27	write	33
shutdown	27	xor	33
sigaction	27		
4.1.2 unix.dir			33
dir:files	33	dir:rewind	33
dir:read	33	dir:close	33
4.1.3 unix.unsafe			33
calloc	33	free	34
fcntl	33	getsockopt	34
fmemopen	34	ioctl	34

malloc	34	munlockall	34
memcpy	34	munmap	34
memset	34	realloc	35
mlock	34	reallocarray	35
mlockall	34	setsockopt	35
mmap	34	strlen	35
munlock	34	strnlen	35

5	Appendix	36
5.1	setrecvaddr	36
5.2	strevents	37

1 About

`lunix` is a bindings library module to common Unix system APIs. The module is regularly tested with Linux/glibc, Linux/musl, OS X, FreeBSD, NetBSD, OpenBSD, Solaris, and AIX. The best way to describe it is in contradistinction to `luaposix`, the most popular bindings module for Unix APIs in Lua.

Thread-safety Unlike `luaposix`, it strives to be as thread-safe as possible on the host platform. Interfaces like `strerror_r` and `O_CLOEXEC` are used throughout. The module even includes a novel solution for the inherently non-thread-safe `umask` system call, where calling `umask` from one thread might result in another thread creating a file with unsafe or unexpected permissions.

POSIX Extensions Unlike `luaposix`, the library does not restrict itself to POSIX, and emulates an interface when not available natively on a supported platform. For example, the library provides `arc4random` (absent on Linux and Solaris), `clock_gettime` (absent on OS X), and a thread-safe `timegm` (absent on Solaris).

Leak-safety Unlike `luaposix`, the library prefers dealing with `FILE` handles rather than raw integer descriptors. This helps to mitigate and prevent leaks or double-close bugs—a common source of problems in, e.g., asynchronous applications. Routines like `chdir`, `stat`, and `opendir` transparently accept string paths, `FILE` handles, `DIR` handles, and raw integer descriptors.

2 Dependencies

2.1 Operating Systems

`linux` targets modern POSIX-conformant and POSIX-aspiring systems. But unlike `luaposix` it branches out to implement common GNU and BSD extensions. All interfaces are available on all supported platforms, regardless of whether the platform provides a native interface.

I try to regularly compile and test the module against recent versions of OS X, Linux/glibc, Linux/musl, FreeBSD, NetBSD, OpenBSD, Solaris, and AIX.

2.2 Libraries

2.2.1 Lua 5.1, 5.2, 5.3

`linux` targets Lua 5.1 and above.

2.3 GNU Make

The Makefile requires GNU Make, usually installed as `gmake` on platforms other than Linux or OS X. The actual Makefile proxies to `GNUmakefile`. As long as `gmake` is installed on non-GNU systems you can invoke your system's `make`.

3 Installation

The module is composed of a single C source file to simplify compilation across environments. Because there several extant versions of Lua often used in parallel on the same system, there are individual targets to build and install the module for each supported Lua version. The targets `all` and `install` will attempt to build and install both Lua 5.1 and 5.2 modules.

Note that building and installation and can accomplished in a single step by simply invoking one of the install targets with all the necessary variables defined.

3.1 Building

There is no separate `./configure` step required.¹ System introspection and feature detection occurs during compile-time. The “`configure`” make target can be used to cache the build environment so one needn’t continually use a long command-line invocation.

All the common GNU-style compiler variables are supported, including `CC`, `CPPFLAGS`, `CFLAGS`, `LDFLAGS`, and `SOFLAGS`. Note that you can specify the path to Lua 5.1, Lua 5.2, and Lua 5.3 include headers at the same time in `CPPFLAGS`; the build system will work things out to ensure the correct headers are loaded when compiling each version of the module.

3.1.1 Targets

`all`
Build modules for Lua 5.1 and 5.2.

`all5.1`
Build Lua 5.1 module.

`all5.2`
Build Lua 5.2 module.

`all5.3`
Build Lua 5.3 module.

3.2 Installing

All the common GNU-style installation path variables are supported, including `prefix`, `bindir`, `libdir`, `datadir`, `includedir`, and `DESTDIR`. These additional path variables are also allowed:

`lua51path`
Install path for Lua 5.1 modules, e.g. `$(prefix)/share/lua/5.1`

¹Optional autoconf configuration is currently being tested. Run `./bootstrap` to build the `./configure` script

lua51cpath

Install path for Lua 5.1 C modules, e.g. `$(prefix)/lib/lua/5.1`

lua52path

Install path for Lua 5.2 modules, e.g. `$(prefix)/share/lua/5.2`

lua52cpath

Install path for Lua 5.2 C modules, e.g. `$(prefix)/lib/lua/5.2`

lua53path

Install path for Lua 5.3 modules, e.g. `$(prefix)/share/lua/5.3`

lua53cpath

Install path for Lua 5.3 C modules, e.g. `$(prefix)/lib/lua/5.3`

3.2.1 Targets

install

Install modules for Lua 5.1 and 5.2.

install5.1

Install Lua 5.1 module.

install5.2

Install Lua 5.2 module.

install5.3

Install Lua 5.3 module.

4 Usage

4.1 Modules

4.1.1 `unix`

The main `unix` module through which most routines and constants are exported. These bindings are type-safe—none operate on or return memory addresses (pointers). For lower-level bindings, see the `unix.unsafe` submodule.

`environ[]`

Binding to the process-global `environ` array using metamethods.

`__index`

Utilizes the internal `getenv` binding.

`__newindex`

Utilizes the internal `setenv` binding.

`__pairs`

Takes a snapshot of the `environ` table to be used by the returned iterator for key–value loops. *Other than Solaris¹, no system supports thread-safe access of the `environ` global.*

`__ipairs`

Similar to `__pairs`, but the iterator returns an index integer as the key followed by the environment variable as a single string—“FOO=BAR”.

`__call`

Identical to the `__pairs` metamethod, to be used to create an iterator directly as Lua 5.1 doesn't support `__pairs`.

`accept(file[, flags])`

FIXME.

`accept(path, mode)`

FIXME.

`alarm(seconds)`

FIXME.

¹See https://blogs.oracle.com/pgdh/entry/caring_for_the_environment_making

`arc4random()`

Returns a cryptographically strong uniformly random 32-bit integer as a Lua number. On Linux the `RANDOM.UUID sysctl` feature is used to seed the generator if available; or on more recent Linux and Solaris kernels the `getrandom` interface.² This avoids fiddling with file descriptors, and also works in a chroot jail. On other platforms without a native `arc4random` interface, such as Solaris 11.2 or earlier, the implementation must resort to `/dev/urandom` for seeding.

Note that unlike the original implementation on OpenBSD, `arc4random` on some older platforms (e.g. FreeBSD prior to 10.10) seeds itself from `/dev/urandom`. This could cause problems in chroot jails.

`arc4random_buf(n)`

Returns a string of length n containing cryptographically strong random octets using the same CSPRNG underlying `arc4random`.

`arc4random_stir()`

Stir the `arc4random` entropy pool using the best available resources. This normally should be unnecessary.

`arc4random_uniform([n])`

Returns a cryptographically strong uniform random integer in the interval $[0, n - 1]$ where $n \leq 2^{32}$. If n is omitted the interval is $[0, 2^{32} - 1]$ and effectively behaves like `arc4random`.

`bind(file[, sockaddr])`

FIXME.

`bitand(x, y)`

FIXME.

`bitor(x, y)`

FIXME.

`chdir(dir)`

If *dir* is a string, attempts to change the current working directory using `chdir`. Otherwise, if *dir* is a FILE handle referencing a directory, or an integer file descriptor referencing a directory, attempts to change the current working directory using `fchdir`.

Returns `true` on success, otherwise returns `false`, an error string, and an integer system error.

²Some Linux distributions, such as Red Hat, disable `sysctl`.

`chmod(file, mode)`

file may be either be a string path for use with `chmod`, or a FILE handle or integer file descriptor for use with `fchmod`. *mode* may be an integer value or symbolic string.

Returns `true` on success, otherwise returns `false`, an error string, and an integer system error.

`chown(file[, uid][, gid])`

file may be either be a string path for use with `chown`, or a FILE handle or integer file descriptor for use with `fchown`. *uid* and *gid* may be integer values or symbolic string names.

Returns `true` on success, otherwise returns `false`, an error string, and an integer system error.

`chroot(path)`

Attempt to `chroot` to the specified string *path*.

Returns `true` on success, otherwise returns `false`, an error string, and an integer system error.

`clearerr(fh)`

FIXME.

`clock_gettime(id)`

id should be the string “realtime” or “monotonic”, or the integer constant `CLOCK_REALTIME` or `CLOCK_MONOTONIC`.

Returns a time value as a Lua floating point number, otherwise returns `nil`, an error string, and an integer system error.

`close(fd)`

FIXME.

`closedir(dir)`

Closes the DIR handle, releasing the underlying file descriptor.

`closelog()`

Closes any (internal) file descriptors opened by `openlog` or `syslog`.

`compl(x)`

FIXME.

`connect(file[, sockaddr])`

FIXME.

`dup(file[, flags])`

file may be either a FILE handle or integer file descriptor. *flags* is an optional file status flags integer. If available, `F_DUPFD_CLOEXEC` is used to ensure atomic setting of any `O_CLOEXEC` flag.

Returns an integer descriptor on success, otherwise `nil`, an error string, and an integer system error, an error string, and an integer system error.

`dup2(file, file[, flags])`

file may be either a FILE handle or integer file descriptor. *flags* is an optional file status flags integer. If available, either `dup3` or `F_DUP2FD_CLOEXEC` is used to ensure atomic setting of any `O_CLOEXEC` flag.

Returns an integer descriptor on success, otherwise `nil`, an error string, and an integer system error.

`dup3(file, file, flags)`

Like `dup2`, except *flags* is not optional. This binding will not exist if `dup3` was not available at compile-time, whereas the `dup2` binding is best-effort regarding atomically setting `O_CLOEXEC`.

`execve(path[, argv][, env])`

Executes *path*, replacing the existing process image. *path* should be an absolute pathname as the `$PATH` environment variable is not used. *argv* is a table or `ipairs-iterable` object specifying the argument vector to pass to the new process image. Traditionally the first such argument should be the basename of *path*, but this is not enforced. If absent or empty the new process image will be passed an empty argument vector. *env* is a table or `ipairs-iterable` object specifying the new environment. If absent or empty the new process image will contain an empty environment.

On success never returns. On failure returns `false`, an error string, and an integer system error.

`execl(path, ...)`

Executes *path*, replacing the existing process image. The `$PATH` environment variable is not used. Any subsequent arguments are passed to the new process image. The new process image inherits the current environment table.

On success never returns. On failure returns `false`, an error string, and an integer system error.

`execlp(file, ...)`

Executes *file*, replacing the existing process image. The `$PATH` environment variable is used to search for *file*. Any subsequent arguments are passed to the new process image. The new process image inherits the current environment table.

On success never returns. On failure returns `false`, an error string, and an integer system error.

`execvp(file[, argv])`

Executes *file*, replacing the existing process image. The `$PATH` environment variable is used to search for *file*. Any subsequent arguments are passed to the new process image. The new process image inherits the current environment table.

On success never returns. On failure returns `false`, an error string, and an integer system error.

`_exit([status])`

Exits the process immediately without first flushing and closing open streams, or calling `atexit` handlers. If *status* is boolean `true` or `false`, exits with `EXIT_SUCCESS` or `EXIT_FAILURE`, respectively. Otherwise, *status* is an optional integer status value which defaults to 0 (`EXIT_SUCCESS`).

`exit([status])`

Like `_exit`, but first flushes and closes open streams, and calls `atexit` handlers.

`faccessat(fd, path, mode, flags)`

FIXME.

`fchmod(file, mode)`

See `chmod`.

`fchown(file[, uid][, gid])`

See `chown`.

`fcntl(file|dir|fd, ...)`

FIXME

`fdatasync(file|dir|fd)`

FIXME

`fdopen(file|dir|fd[, mode])`

FIXME

`fdopendir(file|dir|fd)`

FIXME

`fdup(file[, flags])`

file may be either a FILE handle or integer file descriptor. *flags* is an optional integer or symbolic mode.

Returns a FILE handle on success, otherwise returns `nil`, an error string, and an integer system error.

`feof(file)`

FIXME.

`ferror(file)`

FIXME.

`fgetc(file)`

FIXME.

`fileno(file|dir|fd)`

Resolves the specified FILE handle or DIR handle to an integer file descriptor. An integer descriptor is returned as-is.

`flockfile(fh)`

Locks the FILE handle *fh*, blocking the current thread if already locked. Returns `true`.

This function only works on FILE handles and not DIR handlers or integer descriptors.

`fnmatch(pattern, subject, flags)`

FIXME.

`fstat(path|file|dir|fd[, field ...])`

See [stat](#).

`fstatat(fd, path, flags[, field ...])`

Like [stat](#). See also [openat](#).

`fsync(file|dir|fd)`

FIXME

`ftrylockfile(fh)`

Attempts to lock the FILE handle *fh*. Returns `true` on success or `false` if *fh* was locked by another thread.

`funlockfile(fh)`

Unlocks the FILE handle *fh*. Returns `true`.

`fopen(path|file|dir|fd[, mode][, perm])`

Similar to the `open` binding except returns a FILE handle. Unlike Lua's `io.open` routine, any string *mode* is passed directly to the `fopen` interface and thus supports all local extensions. One consequence of this is that if *mode* is a string then *perm* is ignored. To ensure that `fopen` is invoked both *path* and *mode* should be strings, otherwise the semantics are emulated by translating *mode* to an integer bitfield and invoking `open`.

Returns a FILE handle on success, otherwise `nil`, an error string, and an integer system error.

The difference between calling `fopen` versus `open +fdopen` is that the `fopen` binding ensures that a descriptor is not leaked if `fdopen` fails or throws an exception.

`fopenat(fd, path[, mode][, perm])`

See `openat` and `fopen`.

Returns a FILE handle on success, otherwise `nil`, an error string, and an integer system error.

`fpathconf(fd, name)`

FIXME.

`fpipe([mode])`

FIXME.

`fork()`

Forks a new process. On success returns the PID of the new process in the parent and the integer 0 in the child. Otherwise returns `false`, an error string, and an integer system error.

`gai_strerror(error)`

Returns an error string corresponding to the specified EAI integer *error*.

`getaddrinfo(host, [port], [hints][, field ...])`

Returns an iterator over the addresses resolved for *host* and *port*. If a resolution error occurred, returns `nil`, an error string, an EAI error integer, and a system error integer (if EAI error is EAI_SYSTEM).

host should be a string host name. *port* is an optional port number which defaults to 0.

hints is an optional table controlling the manner and scope of resolution. For example, if a family is not specified the resolver will return a unique result for each address-family combination supported by the system. The following fields are supported:

.flags

Bitwise or of one of more of AI_PASSIVE, AI_CANONNAME, AI_NUMERICHOST, AI_NUMERICSERV, AI_ADDRCONFIG, AI_V4MAPPED (if supported), and AI_ALL (if supported).

.family

AF_UNSPEC, AF_INET, or AF_INET6.

.socktype

SOCK_DGRAM, SOCK_STREAM, or SOCK_SEQPACKET (if supported).

.protocol

IPPROTO_IP, IPPROTO_IPV6, IPPROTO_TCP, IPPROTO_UDP, IPPROTO_ICMP, or IPPROTO_RAW (if supported).

If no fields are specified, the iterator returns a table with the following fields:

.family

See description of family for hints table.

.socktype

See description of socktype for hints table.

.protocol

See description of protocol for hints table.

.addr

IP address as human-readable string.

.canonical

Canonical hostname of IP address (if AI_CANONNAME flag was specified in hints table).

.port

Integer port.

If fields are specified, the iterator returns a list of fields in the order specified.

`getc(file)`

FIXME.

`getcwd()`

FIXME.

`getegid()`

Returns the effective process GID as a Lua number.

`getenv(name)`

Returns the value of the environment variable *name* as a string, or `nil` if it does not exist.

Not thread-safe on any system other than Solaris³ and NetBSD⁴. Linux/glibc `getenv` is thread-tolerant as pointers returned from `getenv` will remain valid throughout the lifetime of the process, but Linux/glibc will write over existing values on update so concurrent use with `setenv` could lead to inconsistent views.

`geteuid()`

Returns the effective process UID as a Lua number.

`getgid()`

Returns the real process GID as a Lua number.

`getgrgid(gid[, ...])`

See [getgrnam](#).

`getgrnam(grp[, ...])`

grp is an integer GID or string symbolic group name suitable for use by either `getgrgid(3)` or `getgrnam(3)`, respectively.

If no other arguments are specified, on success returns a table with the following fields

.name

Symbolic group name as a string, or `nil` if absent.

.passwd

Password information as a string, or `nil` if absent.

.gid

GID as integer.

.mem

Array of supplementary group names, or `nil` if absent.

If additional arguments are given, on success each field specified (as named above) is returned as part of the return value list. “members” may be used as an alternative to “mem”. Note that the return value may be `nil` if the field was absent.

If no group was found, returns `nil` followed by the error string “no such group”.

If a system error occurred, returns `nil`, an error string, and an integer system error.

³See https://blogs.oracle.com/pgdh/entry/caring_for_the_environment_making

⁴NetBSD provides `getenv_r(3)`

`getgroups()`

Returns table of supplementary GIDs on success, otherwise `nil`, an error string, and an integer system error.

`gethostname()`

Returns system hostname as string on success, otherwise `nil`, an error string, and an integer system error.

`getifaddrs([..])`

Returns an iterator over the current system network interfaces on success. If a system error occurred, returns `nil`, an error string, and an integer system error.

If no arguments are specified, each invocation of the iterator returns a table with the following fields

.name

Interface symbolic name as a string.

.flags

Interface flags as an integer bit field.

.family

Interface address family as an integer.

.addr

Interface address as a string, or `nil` if of an unknown address family.

.netmask

Interface address netmask as a string, or `nil` if absent or of an unknown address family.

.prefixlen

Interface address prefixlen as an integer, or `nil` if absent or of an unknown address family.

.dstaddr

Interface destination address if point-to-point, or `nil` if absent or of an unknown address family.

.broadaddr

Interface broadcast address, or `nil` if absent or of an unknown address family.

If arguments are given, each field specified (as named above) is returned as part of the return value list on every invocation of the iterator.

`getmode(mode[, omode])`

The `getmode` interface derives from the routine so-named in almost every `chmod(1)` utility implementation and which exposes the parser for symbolic file permissions.

`mode` should be a symbolic mode value with a valid syntax as described by POSIX within the `chmod(1)` utility man page. If specified, `omode` should be an integer or a string in decimal, hexadecimal, or octal notation, and represents the original mode value used by the symbolic syntax for inheritance.

`getnameinfo(sockaddr[, flags])`

FIXME.

`getopt(args, optstring)`

FIXME.

`getpeername(file)`

FIXME.

`getpgid()`

FIXME.

`getpgrp()`

FIXME.

`getpid()`

Returns the process ID as a Lua number.

`getppid()`

Returns the parent process ID as a Lua number.

`getprogname()`

Returns the program name as a string, otherwise `nil`, an error string, and an integer system error.

`getpwnam(usr[, ...])`

`usr` is an integer UID or string symbolic user name suitable for use by either `getpwuid(3)` or `getpwnam(3)`, respectively.

If no other arguments are specified, on success returns a table with the following fields

.name

Symbolic user name as a string, or `nil` if absent.

- .passwd**
Password information as a string, or `nil` if absent.
- .uid**
UID as integer.
- .gid**
Primary GID as integer.
- .dir**
Home directory path, or `nil` if absent.
- .shell**
Login shell path, or `nil` if absent.
- .gecos**
Additional user information, or `nil` if absent.

If additional arguments are given, on success each field specified (as named above) is returned as part of the return value list. Note that the return value may be `nil` if the value was empty in the database.

If no user was found, returns `nil` followed by the error string “no such user”.

If a system error occurred, returns `nil`, an error string, and an integer system error.

`getpwuid(uid[, ldots])`

See [getpwnam](#).

`getrlimit([what])`

FIXME.

`getrusage([who])`

FIXME.

`getsockname(file)`

FIXME.

`gettimeofday([ints])`

Returns the current time as a Lua floating point number or, if *ints* is `true`, as two integers representing seconds and microseconds.

On failure returns `nil`, an error string, and an integer system error.

`getuid()`

Returns the real process UID as a Lua number.

`grantpt(file)`

FIXME.

`ioctl(file, ...)`

FIXME.

`isatty(file)`

FIXME.

`issetugid()`

Returns **true** if the process environment is considered unsafe because of `setuid`, `setgid`, or similar operations, otherwise **false**.

`kill(pid, signo)`

Sends signal *signo* to process or process group *pid*. Returns **true** on success, otherwise **false**, an error string, and an integer system error.

`LOG_MASK(priority)`

Derive a `setlogmask` priority mask integer bitfield that matches all log messages of the specified priority integer constant. The mask passed to `setlogmask` is usually derived by OR'ing multiple single-priority masks.

`LOG_UPTO(priority)`

Derive a `setlogmask` priority mask integer bitfield that matches all log message with greater or equal priority.

`lchown(path1 [, uid] [, gid])`

FIXME.

`link(path1, path2)`

Creates a new directory entry at *path2* as a hard link to *path1*.

Returns **true** on success, otherwise **false**, an error string, and an integer system error.

`listen(fd [, backlog])`

FIXME.

`lockf(file, cmd[, size])`

FIXME.

`lseek(file, offset, whence)`

FIXME.

`lstat(path[, field ...])`

Identical to `stat`, except only accepts string paths and uses the `lstat` system call.

`mkdir(path[, mode])`

Create a new directory at *path*. *mode*, if specified, should be a symbolic mode string following the POSIX syntax as described by the `chmod(1)` utility man page. Otherwise, *mode* defaults to 0777. In either case, *mode* is masked by the process umask.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`mkdirat(fd|file|dir, path[, mode])`

Similar to `mkdir` except interprets *path* relative to the specified open directory file descriptor, *fd*, or a FILE handle or DIR handle that wraps such a descriptor.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`mkfifo(path[, mode])`

Create a FIFO at *path*. *mode*, if specified, should be an integer bitfield or symbolic string following the POSIX syntax as described by the `chmod(1)` utility man page. Otherwise, *mode* defaults to 0666.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`mkfifoat(fd|file|dir, path[, mode])`

Similar to `mkfifo` except interprets *path* relative to the specified open directory file descriptor, *fd*, or a FILE handle or DIR handle that wraps such a descriptor.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`mkpath(path[, mode][, imode])`

Like `mkdir`, but also creates intermediate directories if missing. *imode* is the mode for intermediate directories. Like *mode* it is restricted by the process umask, but unlike *mode* the user write bit is unconditionally set to ensure the full path can be created.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`open(path|file|dir|fd[, mode][, perm])`

Open the specified file. Normally a string path is specified. If a FILE handle, DIR handle, or file descriptor are specified the library will attempt to use system extensions to create a new file descriptor. Unlike `dup` this descriptor will not share status flags or file position cursors. (This will only work on Linux, NetBSD, and Solaris with `procfs` support; or on macOS using the special `“/.vol”` namespace. macOS and Solaris only support re-opening file system objects this way, not pipes or sockets. The BSD `“/dev/fd”` namespace has semantics equivalent to `dup`, except on Linux where `“/dev/fd”` is a symlink to `“/proc/self/fd”`.)

mode specifies the open flags as an integer bitfield (e.g. `O_CREAT|O_RDWR, O_RDONLY|O_CLOEXEC`, etc) or a symbolic string (e.g. `“w+x”`). If unspecified defaults to 0, which normally equals `O_RDONLY`.

perm specifies the file creation mode bits as an integer bitfield or a symbolic string (e.g. `“ug+rw,o+r”`, equivalent to `0644`). If unspecified defaults to `0666`.⁵

Returns an integer file descriptor on success, otherwise `nil`, an error string, and an integer system error.

`openat(file|dir|fd, path[, mode][, perm])`

Similar to `open` except the first parameter should resolve to an open directory file descriptor.

Returns an integer file descriptor on success, otherwise `nil`, an error string, and an integer system error.

`opendir(path|file|dir|fd)`

Creates a DIR handle for reading directory entries. Caller may specify a path string, a Lua FILE handle, another DIR handle, or an integer descriptor. In the latter three cases, the underlying descriptor is duplicated using `dup3` (if available) or `dup2` because there’s no safe way to steal the descriptor from existing FILE or DIR handles. But it’s not a good idea to mix reads between the two original and duplicated descriptors as they will normally share the same open file entry in the kernel, including the same position cursor.⁶

Returns a DIR handle on success, otherwise `nil`, an error string, and an integer system error.

`openlog(ident[, logopt[, facility]])`

Set process attributes that affect subsequent calls to `syslog`. *ident* is string prefix for log messages, *logopt* an integer bitfield of flags (e.g. `LOG_PID`, and *facility* an integer constant (e.g. `LOG_LOCAL1`, `LOG_MAIL`) used for tagging and routing of messages.

`pathconf(path, name)`

FIXME.

⁵Note that the kernel will apply the process-global file mode creation mask to the permission bits. See `umask`.

⁶In the future may add ability to open `/proc/self/fd` or `/dev/fd` entries, which should create a new open file entry.

`pipe(mode)`

FIXME.

`poll(fds[, timeout])`

Polls on the file descriptor events specified by *fds*. Following the `luaposix` API, *fds* is a table indexed by integer file descriptors, each table entry another table with the integer bitmak field “events” specifying desired events to poll. *timeout* is an optional floating-pointing value specifying the number of seconds (and fractions thereof) to block. A missing or `nil` timeout will wait forever; a negative value is assumed to be the result of arithmetic underflow and effects a 0-second timeout.⁷

On success updates the “revents” field for each descriptor entry in *fds* and returns the number of ready descriptors; otherwise `nil`, an error string, and an integer system error.

```
1 local fds = { [fd] = { events = unix.POLLIN } }
  local nr = assert(unix.poll(fds, 3.0))
3 for fd, t in pairs(fds) do
  -- see Appendix for strevents implementation
5 print(fd, strevents(t.events), strevents(t.revents))
end
```

`posix.fadvise(file, offset, len, advice)`

FIXME.

`posix.fallocate(file, offset, len)`

FIXME.

`posix.openpt([flags])`

FIXME.

`posix.fopenpt([flags])`

FIXME.

`pread(file, size, offset)`

Reads up to *size* bytes of data from *file* at *offset*. *file* may be either a FILE handle or integer file descriptor.

Returns a string on success, otherwise `nil`, an error string, and an integer system error.

`ptsname(file)`

FIXME.

⁷In other words, do not pass `-1` as-if directly calling the underlying system call.

`pwrite(file, data, offset)`

Writes *data* to *file* at *offset*. *file* may be either a FILE handle or integer file descriptor.

Returns an integer representing the number of bytes written (which may be less than `#data`) on success, otherwise `nil`, an error string, and an integer system error.

`raise(signo)`

Sends signal *signo* to calling thread. Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`read(file, size)`

Reads up to *size* bytes of data from *file*. *file* may be either a FILE handle or integer file descriptor.

Returns a string on success, otherwise `nil`, an error string, and an integer system error.

`readdir(dir[, field ...])`

Reads the next directory entry. If no field arguments are specified, on success returns a table with the following fields

.name

Name of file.

.ino

Inode of file.

.type

A numeric value describing the file type, similar to the “mode” field returned by `stat`, except without any permission bits present. You can pass this value to `S_ISREG`, `S_ISDIR`, `S_ISFIFO`, etc.

Available on Linux and BSD derivatives, but, e.g., will be `nil` on Solaris.

If additional arguments are given, on success each field specified (as named above) is returned as part of the return value list. Note that the return value may be `nil` if the value was unavailable.

If the end of directory entries has been reached, returns `nil`.

If a system error occurred, returns `nil`, an error string, and an integer system error.

`readlink(path)`

FIXME.

`readlinkat(fd, path)`

FIXME.

`realpath(path)`

FIXME.

`recv(file, size[, flags])`

Receives up to *size* bytes of data from the socket *file*. *file* may be either a FILE handle or integer file descriptor. *flags* is an optional integer containing bitwise socket receive flags (e.g. MSG_WAITALL).

Returns a string on success, otherwise `nil`, an error string, and an integer system error.

`recvfrom(file, size[, flags])`

Like `recv`. Returns a string and `sockaddr` on success; otherwise `nil`, an error string, and an integer system error.

`recvfromto(file, size[, flags])`

Like `recvfrom`. Returns a string, source `sockaddr`, and destination `sockaddr` on success; otherwise `nil`, an error string, and an integer system error.

This interface is useful for replying to UDP packets with the same source address received on, without having to enumerate, bind, and listen on multiple interfaces. Because interfaces can go down and come up dynamically, binding on multiple interfaces is complex and difficult. See also the reciprocal interface, [sendtofrom](#).

NOTES:

- Not all platforms support this interface. AIX (confirmed 7.1) supports IPv6 but not IPv4.
- The descriptor must be initialized by enabling a specialized socket option. The option varies by platform and socket protocol family. See [setrecvaddr](#) example in Appendix.

`regcomp(pattern, cflags)`

Compile string *pattern* according to the specified *cflags* integer bitfield. Returns a userdata value wrapping a `regex_t` object on success, otherwise `nil`, an error string, and an integer error code. The error codes are those from `<regex.h>`, not `<errno.h>`.

The “nsub” field of the returned userdata value evaluates to the “re_nsub” field value of the C `regex_t` object. Note that the userdata value contains additional metadata and members for internal use.

`regerror(error[, regex])`

Returns a string describing the specified integer *error* code. Optional *regex* is a userdata value as returned by `regcomp` and may be used by some systems to generate more informative error strings.

This routine should usually not be needed as the return discipline of `regcomp` and `regexexec` includes the string representation of any error conditions.

`regexec(regex, subject[[, init][, table], eflags)`

Attempt to match *regex* to the *subject* string. *eflags* is an integer bitfield of flags that modify the matching behavior. *init* is an integer position (1-indexed) for matching a suffix of *subject*, as with `string.find`. To more closely match the calling convention of the C routine, parameter disambiguation favors *eflags*; *init* can only be specified if *eflags* or *table* are also specified.

On a success, subexpressions (or the entire matching expression if no subexpressions) are returned as a list, as with `string.find`. Matching subexpressions are returned as string values, but non-matching subexpressions as `nil`. This is necessary to disambiguate zero-length matches from alternatives not part of the actual match.

If *table* is provided the behavior is a more literal binding to the C routine—*table* is treated as an array of matches (i.e. `regmatch_t` structures) in *subject* that record the 0-indexed start offset (“so” field) and end offset (“eo” field) in subtables. Offsets of the entire matching expression are stored at index 0, and of subexpressions starting at index 1. As in C, offsets of non-matching subexpressions are represented with the constant -1. Any existing subtables are used *in situ* to minimize generation of garbage. Any other array indices, and any fields other than “so” and “eo” in match subtables, are left unmodified.

On failure (including a non-match), `nil`, an error string, and an integer error code are returned. The error code `REG_NOMATCH` represents a non-match condition. *table*, if provided, is not modified.

`regfree(regex)`

Explicitly destroy the *regex* userdata value. The *regex* `_gc` metamethod performs this implicitly in an idempotent manner, but an attempt to invoke `regfree` on *regex* more than once throws an error.

`rename(from, to)`

Renames the file *from* to *to*. The paths must reside on the same device.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`renameat(fromfd, from, tofd, to)`

Similar to `rename` except interprets the string paths *from* and *to* relative to the respective open directory file descriptor, *fromfd* and *tofd*, respectively. *fromfd* and *tofd* should be integer file descriptors to an open directory, or FILE handles or DIR handles that wrap such descriptors.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`rewinddir(dir)`

Rewinds the DIR handle so the directory entries may be read again.

`rmdir(path)`

Remove the directory at *path*.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`S_ISBLK(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a block device.

Returns `true` or `false`.

`S_ISCHR(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a character device.

Returns `true` or `false`.

`S_ISDIR(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a directory.

Returns `true` or `false`.

`S_ISFIFO(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a FIFO or pipe.

Returns `true` or `false`.

`S_ISREG(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a regular file.

Returns `true` or `false`.

`S_ISLNK(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a symbolic link.

Returns `true` or `false`.

`S_ISSOCK(mode)`

Tests whether the specified *mode* value—as returned by, e.g., `stat` or `readdir`—represents a socket.

Returns `true` or `false`.

`send(file, data[, flags])`

Sends *data* to the peer on the socket, *file*. *file* may be either a FILE handle or integer file descriptor. *flags* is an optional integer containing bitwise socket send flags (e.g. `MSG_NOSIGNAL`).

Returns an integer representing the number of bytes sent (which may be less than `#data`) on success, otherwise `nil`, an error string, and an integer system error.

`sendto(file, data, flags, to_addr`

Like `send`. `to_addr` is a `sockaddr` destination address or table convertible to a `sockaddr`

`sendtofrom(file, data, flags, to_addr, from_addr)`

Like `send`. `to_addr` is a `sockaddr` destination address or table convertible to a `sockaddr`, and `from_addr` a `sockaddr` source address or table convertible to a `sockaddr`. See also the reciprocal interface, [recvfromto](#).

NOTES:

- Not all platforms support this interface. AIX (confirmed 7.1), NetBSD (confirmed 7.0), and OpenBSD \neq 6.0 (confirmed 6.0) support IPv6 but not IPv4.
- FreeBSD (confirmed 10.1) requires the socket to be bound to the wildcard address, “0.0.0.0” or “:.”.
- macOS 10.10 and several prior releases contain a kernel bug which causes a kernel panic if the socket address is not bound as required by FreeBSD. (Oddly macOS copied Linux’s `IP_PKTINFO` interface, not FreeBSD’s `IP_SENDSRCADDR`; but Linux doesn’t have the requirement to bind).

`setegid(gid)`

Set the effective process GID to `gid`. `gid` must be an integer or symbolic group name.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`seteuid(uid)`

Set the effective process UID to `uid`. `uid` must be an integer or symbolic user name.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`setenv(name, value[, overwrite])`

Sets the environment variable `name` to `value`. If the variable already exists then it is not changed unless `overwrite` is `true`. `overwrite` defaults to `true`.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

This function is thread-safe on Solaris and NetBSD. For Linux/glibc see note at `getenv`. FreeBSD, OpenBSD, and Linux/musl are confirmed to be not thread-safe. The status of AIX and OS X is unknown. In general `setenv` should be avoided in multi-threaded environments.

`setgid(gid)`

Set the real process GID to *gid*. *gid* must be an integer or symbolic group name.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`setgroups{ ... }`

Sets the supplement group list. Takes an array of GIDs. On success returns `true`. Otherwise returns `false`, an error string, and an integer system error.

As an extension, group names may be specified instead of integer GIDs. However, an unresolvable group name currently causes an error to be thrown rather than returned. Until this is fixed, use `getgrnam` to explicitly resolve names to GIDs.

`setlocale(category [, locale])`

Set or query the program locale. *category* is an integer constant which specifies the category of localization, and should be one of `LC_ALL`, `LC_COLLATE`, `LC_CTYPE`, `LC_MONETARY`, `LC_NUMERIC`, or `LC_TIME`.

locale can be either a string identifier for the locale, or `nil` to query the specified category. An empty locale string selects the system's native locale.

Returns a locale string identifier on success, otherwise `nil` if the specified *category* and *locale* could not be honored.

`setlogmask(mask)`

Set the log priority mask for the current process. *mask* is an integer bitmask derived by applying `LOG_MASK` or `LOG_UPTO` to priority constants.

`setpgid(pid, pgid)`

FIXME.

`setrlimit(what [, soft] [, hard])`

FIXME.

`setsid()`

Create a new session and process group.

Returns the new process group ID on success, otherwise `nil`, an error string, and an integer system error.

`setsockopt(fd, level, optname, optval)`

FIXME.

`setuid(uid)`

Set the real process UID to *uid*. *uid* must be an integer or symbolic user name.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`shutdown(fd, how)`

FIXME.

`sigaction(signo, [action], [oaction])`

Sets or queries the signal disposition for the signal *signo*.

If specified, *action* is a table used to update the signal disposition.

.handler

Currently handler may only be `SIG_DFL`, `SIG_ERR`, or `SIG_IGN`. Lua functions are not currently supported, but may in the future. In the meantime, applications can use `sigtimedwait` to atomically dequeue signals in a thread-safe manner.

.mask

A `sigset_t` userdata object, or the string "*" (see `sigfillset`).

.flags

Bitwise or of one or more of `SA_NOCLDSTOP`, `SA_ONSTACK`, `SA_RESETHAND`, `SA_RESTART`, `SA_SIGINFO`, `SA_NOCLDWAIT`, and `SA_NODEFER`.

Returns `true` on success if *oaction* is `nil` or `false`.

Returns a table on success if *oaction* is `true`. The table describes the signal disposition at the time `sigaction` was initially called.

Otherwise returns `nil`, an error string, and an integer system error.

`sigfillset([set])`

Returns a `sigset_t` userdata object with all bits filled. If *set* is specified should be an existing `sigset_t` userdata object to reuse.

`sigemptyset([set])`

Returns a `sigset_t` userdata object with all bits cleared. If *set* is specified should be an existing `sigset_t` userdata object to reuse.

`sigaddset(set[, signo ...])`

Returns a `sigset_t` userdata object with the specified signals set. If *set* is not a `sigset_t` object, a new, empty `sigset_t` is instantiated and initialized according to whether *set* is `nil`, an integer signal number, an array of integer signal numbers, or the string "*" (filled) or "" (empty). If specified, *signo* and additional arguments should be integer signal numbers to be added to the `sigset_t` object.

`sigdelset(set[, signo ...])`

Like `sigaddset`, but `signo` and subsequent integer signal numbers are cleared from the `sigset_t` object.

`sigismember(set, signo)`

Returns `true` if `signo` is a member of `sigset_t set`, otherwise `false`.

`sigprocmask([how, set[, oset]])`

If `how` and `set` are defined, sets the signal mask of the current process or thread. `how` should be one of `SIG_BLOCK`, `SIG_UNBLOCK`, or `SIG_SETMASK`. `set` should be a `sigset_t` userdata object, or a number, string, or array suitable for initializing a `sigset_t` object as discussed in `sigaddset`.

Returns the old mask as a `sigset_t` userdata object on success, otherwise `nil`, an error string, and an integer system error. `oset` is an optional `sigset_t` userdata object to be reused as the return value, and is first cleared before passing to the system call.

Whether the process or thread mask is set is implementation defined, and varies across platforms. Threaded applications should use `pthread_sigmask`, which is guaranteed to set the mask of the current thread.⁸ Unfortunately, there is no interface which is guaranteed to only set the process mask. New threads inherit the mask of the creating thread, so standard practice is typically to block everything in the main thread while creating new threads.

`sigtimedwait(set[, timeout])`

Atomically clears any pending signal specified in `set` from the pending set of the process *and* thread. If none are pending, waits for `timeout` seconds, or indefinitely if `timeout` is not specified. Fractional seconds are supported.

On success returns an integer signal number cleared from the pending set and an array representing the members of the `siginfo_t` structure (without the “si_” prefix).⁹ On error returns `nil`, an error string, and an integer system error. If `timeout` is specified and no signal was cleared before the timeout, the system error will be `ETIMEDOUT`.

OS X and OpenBSD lack a native `sigtimedwait` implementation. On OS X `linux` uses `sigpending` and `sigwait` to emulate the behavior. However, in a multi-threaded application if another thread clears a signal between `sigpending` and `sigwait` then `sigwait` could block indefinitely. There’s no way to solve this race condition.¹⁰ On OpenBSD `sigwait` is only available through `libpthread`, but on OpenBSD `libpthread` must be loaded at process load-time and cannot be brought in as a `dlopen` run-time dependency. Therefore an alternative emulation is used which clears the pending signal by installing a `noop` signal handler. This is not thread-safe if another thread is also installing a signal

⁸Use of `pthread_sigmask` requires linking with `-lpthread` on some platforms and for this reason is presently not supported by `linux`.

⁹Currently only the `.si_signo` member is copied from `siginfo_t`.

¹⁰One possible solution is to explicitly `raise` the signal before calling `sigpending`, but this solutions relies on untested assumptions about signal handling on these platforms.

handler simultaneously. Threaded applications on these platforms should be mindful of these limitations. The `cqueues` project supports thread-safe signal listening with `kqueue` on both OpenBSD and Mac OS X.

`sigwait(set)`

FIXME.

`sleep(n)`

FIXME.

`socket(family, socktype, protocol)`

FIXME.

`socketpair(family, socktype, protocol)`

FIXME.

`stat(path|file|dir|fd[, field ...])`

Stats the specified file. Caller may specify a path string, a Lua FILE handle, a DIR handle (see `opendir`), or an integer descriptor.

If no field arguments are specified, on success returns a table with the following fields

.dev

Device identifier as integer of device containing file.

.ino

Inode identifier as integer.

.mode

Mode—type, permissions, etc—as integer.

.nlink

Link count as integer.

.uid

Owner UID as integer.

.gid

Owner GID as integer.

.rdev

Device identifier as integer if character or block special file.

.size

File size as integer.

.atime

Last data access timestamp as floating-point number with sub-second fractional component¹¹.

.mtime

Last data modification timestamp as floating-point number with sub-second fractional component.

.ctime

Last file status change timestamp as floating-point number with sub-second fractional component.

.blksize

File-system-specified preferred I/O block size as integer.

.blocks

Number of blocks allocated for this object as integer.

If field arguments are given, on success each field specified (as named above) is returned as part of the return value list. Note that the return value may be `nil` if the value was unavailable.

On error returns `nil`, an error string, and an integer system error.

strerror(*error*)

Returns an error string corresponding to the specified system *error* integer.

strsignal(*signo*)

Returns a string describing the specified signal number.

symlink(*path1*, *path2*)

Creates a new directory entry at *path2* as a symbolic link to *path1*.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

symlinkat(*path1*, *atfd*, *path2*)

Like [symlink](#), but *path2* is resolved relative to *atfd*.

sysconf(*name*)

FIXME.

syslog(*priority*, *message*)

Send string message to system's logging facility. *priority* is an integer flag (see `setlogmask`) and *message* a string (not a format string).

¹¹All platforms currently support timestamps with sub-second precision. However, the underlying filesystem may not record a timestamp with sub-second precision.

`tcgetpgrp(file)`

FIXME.

`tcgetsid(fd)`

FIXME.

`tcsetpgrp(file, pgid)`

FIXME.

`timegm(tm)`

tm is a table of the form returned by the Lua routine `os.date("!*t")`. This allows converting a datetime in GMT directly to a POSIX timestamp without having to change the process timezone, which is inherently non-thread-safe.

Returns a POSIX timestamp as a Lua number.

`truncate(file[, size])`

Truncate *file* to *size* bytes (defaults to 0). *file* should be a string path, or FILE handle or integer file descriptor.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`tzset()`

Initializes datetime conversion information according to the TZ environment variable, if available.

Return `true`.

`umask([cmask])`

If *cmask* is specified, sets the process file creation mask and returns the previous mask as a Lua number.

If *cmask* is not specified, queries the process umask in a thread-safe manner and returns the mask as a Lua number.

`uname([. . .])`

If no arguments are given, on success returns a table with the following fields

.sysname

Name of the current system as a string.

.nodename

Name of this node within an implementation-defined communications network as a string.

.release

Release name of the operating system as a string.

.version

Version of the operating system as a string.

.machine

Hardware description of the system as a string.

If additional arguments are given, on success each field specified (as named above) is returned as part of the return value list.

On failure returns `nil`, an error string, and an integer system error.

`unlink(path)`

Deletes the file entry at *path*.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`unlinkat(file|dir|fd, path[, flags])`

Deletes the file entry at *path* relative to the specified open directory file descriptor, *fd*, or a FILE handle or DIR handle that wraps such a descriptor.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

`unlockpt(file)`

FIXME.

`unsetenv(name)`

Deletes the environment variable *name* from the environment table.

Returns `true` on success, otherwise `false`, an error string, and an integer system error.

This function is thread-safe on Solaris, NetBSD, and Linux/glibc. But see note at `getenv`. Also see note at `setenv`. In general `unsetenv` should be avoided in multi-threaded environments.

`wait([pid] [, options])`

FIXME.

`waitpid([pid] [, options])`

FIXME.

`write(file, data)`

Writes *data* to *file*. *file* may be either a FILE handle or integer file descriptor.

Returns an integer representing the number of bytes written (which may be less than `#data`) on success, otherwise `nil`, an error string, and an integer system error.

`xor(x, y)`

FIXME.

4.1.2 `unix.dir`

The `unix.dir` module implements the prototype for DIR handles, as returned by `unix.opendir`.

`dir:files([field ...])`

Returns an iterator over `unix.readdir(...)`.

`dir:read([field ...])`

Identical to `unix.readdir`.

`dir:rewind()`

Identical to `unix.rewinddir`.

`dir:close()`

Identical to `unix.closedir`.

4.1.3 `unix.unsafe`

The `unix.unsafe` module binds routines that can take or return pointers. Pointer arguments might be taken directly as `lightuserdata` or integers (`intptr_t`), or indirectly as a string, depending on the routine. In the latter case, if it's not known whether a syscall might write through a pointer (e.g. `fcntl`, `getsockopt`), a string argument will be copied into an internal buffer, a pointer to this buffer passed to the routine, and then the contents of this buffer (possibly modified) returned as a string to the caller in the return list; otherwise (e.g. `strlen`) a pointer to the string obtained via `lua_tostring` is passed.

`calloc(count, size)`

FIXME

`fcntl(fd, cmd[, arg])`

FIXME

`fmemopen(addr, size, mode)`

FIXME

`free(addr)`

FIXME

`getsockopt(fd, level, optname, arg)`

FIXME

`ioctl(fd, cmd, arg)`

FIXME

`malloc(size)`

FIXME

`memcpy(dst, src, size)`

FIXME

`memset(addr, c, len)`

FIXME

`mlock(addr, len)`

FIXME

`mlockall(flags)`

FIXME

`mmap(addr, len, prot, flags, fd, offset)`

FIXME

`munlock(addr, len)`

FIXME

`munlockall()`

FIXME

`munmap(addr, len)`

FIXME

`realloc(addr, size)`

FIXME

`reallocarray(addr, count, size)`

FIXME

`setsockopt(fd, level, optname, arg)`

FIXME

`strlen(addr)`

FIXME

`strlen(addr, maxlen)`

FIXME

5 Appendix

5.1 setrecvaddr: Prepare socket for recvfromto

A routine to set the socket options necessary for `recvfromto`. Options should be set before binding the socket to an address as on some platforms (e.g. FreeBSD) any packets received beforehand will not be tagged with the destination address.

```
local unix = require"unix"
2
local function setrecvaddr(fd, family)
4   local type, level

6   if family == unix.AF_INET6 then
       level = unix.IPPROTO_IPV6
8     type = unix.IPV6_RECVPKTINFO or unix.IPV6_PKTINFO
elseif family == unix.AF_INET
10    level = unix.IPPROTO_IP
       type = unix.IP_RECVSTADDR or unix.IP_PKTINFO
12   end

14   if level and type then
       return unix.setsockopt(fd, level, type, true)
16   else
       local errno = unix.EAFNOSUPPORT
18     return false, unix.strerror(errno), errno
       end
20 end
```

5.2 strevents: Stringify poll events

A routine to translate an integer bitfield of poll events to a string of constant names.

```
local unix = require"unix"
2
local function strconst(c, patt)
4   for k,v in pairs(unix) do
      if c == v and type(k) == "string" and k:match(patt) then
6         return k
      end
8   end
end
10
local function strevent(event)
12   return strconst(event, "^POLL")
end
14
local function strevents(events)
16   local t = {}
      for i=0,30 do
18         if events % 2 == 1 then
            t[#t + 1] = strevent(2^i)
20         events = events - 1
            end
22         events = events / 2
            end
24   return #t > 0 and table.concat(t, ", ") or nil
end
```